

SkySound CS10 Ceiling Speaker

2-Way Coaxial Networked Ceiling Loudspeaker for Exceptional Sound Quality





The Yealink SkySound CS10, a low-profile 2-way coaxial network speaker, excels in video conferencing with its exceptional audio performance. Designed specifically for the modern meeting environment, the CS10 blends high-quality audio with an elegant, minimalist design, making it a perfect match for contemporary conference rooms.

Versatile and engineered for ease of use, the CS10 is a PoE-enabled speaker that optionally accommodates a Dante module, simplifying installation across diverse ceiling types. Its straightforward design, combined with the ability to operate in a range of temperatures, establishes the CS10 as more than just a speaker – it is an essential addition to your meeting space, enhancing both visual and auditory experiences.

The CS10 is not just a functional device for your conference room; it's a statement of elegance and technological prowess, representing the ideal audio solution for your professional needs.

Key Features

Innovative Coaxial Structure:

Features a 2-way coaxial setup with a robust 5.5" LF Woofer and a crisp 1.1" HF Tweeter for high-fidelity audio delivery.

High-Performance Acoustics:

Boasts impressive acoustic parameters, with a sensitivity of 88dB@1W 1m and a maximum SPL of 99dB@20W 1m, ensuring clear, powerful sound.

PoE-Enabled Active Speaker:

SkySound CS10 masterfully blends active speaker functionality with integrated DAC and PoE technology, enabling swift digital signal processing from the network for a hassle-free setup and minimal latency, tailored for dynamic professional scenarios.

Dante Ready for Advanced Audio Networking:

With an optional Dante module, SkySound CS10 seamlessly integrates into sophisticated audio networks, providing flexible options for complex setups.

Extreme Environment Resilience:

Constructed with durable nylon+aluminum alloy, SkySound CS10 reliably withstands extreme temperatures, ranging from -40°C to 50°C.

Versatile Deployment:

Offers diverse indoor installation solutions, compatible with various ceiling types and grid systems, ensuring easy adaptation to any interior design.

Sophisticated Design:

Features a detachable, paintable magnetic grille in black and white, adding to its sleek, low-profile look that complements any modern interior.





Package Content	 SkySound CS10 Speaker White Mesh Cover (Black Optional) Quick Start Guide Assembly Fixing Bracket Dust Cover Deployment Instruction Templete Bracing Bridge (Optional) Screw*6 (M3*4CMHOZN3)
Audio Specifications	 Frequency Response (-6dB): 100-20kHz Maximum SPL: Continuous: 99dB @20W 1m Sensitivity: 88dB@1m 1W
Speaker Specification	 LF: 5.7 inch (145 mm) woofer HF: 1.1 inch (28 mm) tweeter Nominal Impedance: 8Ω Nominal Coverage Angle: 120
Product Specifications	 Size: - \$\phi 294*H125.8mm (with cover mesh) - \$\phi 287.2*H125mm (without cover mesh) Weight: - 2808g (without cover mesh); - 207g (Cover mesh) Product color: white/black Cover mesh color: white/black Product Materials: - Cover Mesh: PC/ABS Welded SPCC - Main Body Shell: PA (Polyamide) with 15% GF - Bottom Shell: aluminum alloy - Cover Plate: PC/ABS and SGCC - UL 2043 (suitable for air handling spaces)
Physical Specifications	 Operating Temperature: -40-50°C Storage Temperature: -40-50°C Operating Humidity: 5%~90% Continuous Power: 20W Peak Power: 30W Interface: 1*RJ-45 Power Supply: PoE+
Package Features	 Canton Size: 398 mm*355 mm*185mm N.W/CTN: 4.628kg G.W/CTN: 5.597kg



About Yealink

Yealink (Stock Code: 300628) is a global-leading provider of Unified Communication & Collaboration Solutions specialized in video conferencing, voice communications, and collaboration, dedicated to helping every person and organization embrace the power of "Easy Collaboration, High Productivity".

With best-in-class quality, innovative technology, and user-friendly experiences, Yealink is one of the best providers in more than 140 countries and regions, ranks No.1 in the global market share of IP Phone, and is the Top 5 leader in the video conferencing market (Frost & Sullivan, 2021).

For more information about Yealink, click here.

Copyright

Copyright © 2023 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (http://support.yealink.com/) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (https://ticket.yealink.com) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD. Web: www.yealink.com Addr: No.666 Hu'an Rd,Huli District Xiamen City, Fujian, P.R.C Copyright©2023 Yealink Inc. All right reserved.