



Poly Savi 8210 Office DECT 1920-1930 MHz Single Ear Headset (7S445AA)



Overview

Power through the noise

Hearing every word clearly on a call is not a nice-to-have, it is a must-have. With the Poly Savi 8200 Office series, you can tune out noise and nearby conversations with noise-canceling microphone plus close conversation limiting.

Freedom to roam

Being able to talk for a long time on a single charge means work gets done. And with the freedom to roam up to 590 ft/180 m means you can keep the calls going, even away from the desk [1].

Multi-device connectivity

Today's enterprise and contact center professionals work on a range of devices. Savi 8200 Office Series headset systems have 3-way connectivity – computer, desk phone and mobile phone – for convenient conferencing on up to two devices at once.

Features

3-way connectivity

Manage all your calls with a compatible single base that offers 3-way connectivity – computer, desk phone and mobile.

Crystal-clear calls

Reduce background sounds with noise-canceling microphone and close conversation limiting.

Take it further

Everyone can move, multitask, and get more done with up to 13 hours of talk time on a single charge. Convenient voice prompts notify of mute status, wireless range limit and more.

Privacy is ensured

Privacy of your conversation is ensured: DECT™ security-certified headset.

Training made easy

Make training and collaboration easy with the ability to conference up to 4 headsets onto a single base.

Communications platforms

An IT manager's dream, this headset was created for communication and is optimized and certified to work with top virtual meeting providers.^[2]

[1] Line of sight from computer.

[2] Visit www.poly.com/savi-8200-office for more detail.

Additional specifications

| | |
|---|---|
| Acoustic protection technology | SoundGuard Digital ^[1,2] |
| Battery life | Up to 50 days (standby time); Up to 13 hours (talk time) |
| Battery type | Rechargeable Li-ion polymer |
| Bluetooth version | 4.2 |
| Button user controls | Call answer/end; Mute; Volume +/-; Power on/off; ANC on/off |
| Cartons per layer | 6 |
| Cartons per pallet | 30 |
| Certified collaboration software | Zoom |
| Charge time | 3 hours |
| Color | Black |
| Connection type | Bluetooth® 4.2; DECT™ |
| Connects to | Desk phone; PC; Mobile |
| Country of origin | Made in Mexico |
| ECCN | 5A992 |
| Ear cushions | Artificial leather (surface material) |
| HTS code | 8517620090 |
| Headphone type | On-ear (monoaural) |
| Impedance | 32 ohms |
| Indicator light | On call |
| Management Software | Poly Lens |
| Manufacturer Warranty | Poly standard two-year limited warranty |
| Multiple order quantity | 1 |
| Package dimensions (W x D x H) | 2 |
| Package dimensions (W x D x H) | 7.48 x 8.26 x 2.16 in |
| Package weight | 300 g |
| Package weight | 0.66 lb |
| Paired devices | Up to 2 |
| Pallet (layers) | 5 |
| Pallet dimensions | 40 x 48 x 55.11 in |
| Pallet dimensions (W x D x H) | 101.6 x 121.9 x 140 cm |
| Pallet weight | 189.75 kg |
| Pallet weight | 418.32 lb |
| Products per pallet | 180 |

| | |
|----------------------------------|--|
| Products per pallet layer | 36 |
| Sensitivity (microphone) | 112 dB SPL |
| Speaker size | 32 mm |
| UNSPSC code | 52161514 |
| UPC number | (A2K) 197192931486; (ABA) 197497168921; (ABB) 197497168938; (ABG) 197192931493; (AC4) 197192931509; (UUF) 197192599877 |
| Voice alerts | Volume maximum; Volume minimum; Mute on; Mute off; Muted; Connection status; Talk time; Battery low |
| Weight | 0.25 lb |
| Weight | 115 g |
| What's in the box | Wireless headset; Office base; USB Type-A cable; USB Type-C® cable; Telephone cable; AC power adapter |
| Wireless range | Up to 180 m in open area; Up to 55 m in typical office environment |
| Wireless range (imperial) | Up to 590 ft in open area; Up to 180 ft in typical office environment |

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

Services

Poly Services

★ : Recommended

Poly Support Services

| | |
|-----------------------------------|-------------------|
| 3 year Poly+ Savi Service | PSAVI312 ★ |
| 3 year Partner Poly+ Savi Service | PSAVI362 |

Hybrid Work Solutions

Audio

★ : Recommended

Audio Accessories

| | |
|---|---------|
| Poly APA-23 Electronic Hookswitch TAA | 85Q50AA |
| Poly APA-24 Electronic Hookswitch TAA | 85Q52AA |
| Poly APC-43 Electronic Hookswitch (Bagged) TAA | 85Q56AA |
| Poly APC-43 Electronic Hookswitch TAA | 85Q55AA |
| Poly APC-45 Electronic Hookswitch TAA | 85Q57AA |
| Poly APC-82 Electronic Hookswitch TAA | 8H981AA |
| Poly APD-80 Electronic Hookswitch TAA | 85Q58AA |
| Poly APN-91 Electronic Hookswitch TAA | 85Q59AA |
| Poly APP-51 Electronic Hookswitch TAA | 85Q60AA |
| Poly APS-11 Electronic Hookswitch TAA | 85Q78AA |
| Poly APT-31 Electronic Hookswitch TAA | 85Q84AA |
| Poly APU-72 Electronic Hookswitch TAA | 85Q95AA |
| Poly APU-75D Electronic Hookswitch TAA | 85Q99AA |
| Poly APU-76 Electronic Hookswitch TAA | 85R00AA |
| Poly APV-63 Electronic Hookswitch TAA | 85R01AA |
| Poly APV-66 Electronic Hookswitch TAA | 85R02AA |
| Poly Busy Light (Angle Plug) | 920Q4AA |
| Poly EHS 3.5mm to 3.5mm Cable | 85R17AA |
| Poly HL10 Extended Arm | 8L554AA |
| Poly HL10 Handset Lifter | 784Q1AA |
| Poly HL10 Handset Lifter TAA | 8R713AA |
| Poly HL10 Handset Lifter with Straight Plug TAA | 784Q2AA |
| Poly HL10 Lifter Arm +Ring Detector Accessory | 8A7E3AA |
| Poly RD-1 Electronic Hookswitch | 85R71AA |
| Poly Savi 7410/7420 Office Charging Cradle | 8L556AA |
| Poly Savi 8200 5 Unit Charge Base | 85R34AA |
| Poly Savi 8200 Leatherette Ear Cushions (2 Pieces) | 85Q63AA |
| Poly Savi 8200 USB-A Headset Charging Cable | 85R35AA |
| Poly Savi 8210 Battery with Removal Tool | 85R37AA |
| Poly Savi 8210 Monaural DECT 1880-1900 MHz Top +Charging Cradle | 8Y9C3AA |

| | |
|--|---------|
| Poly Savi 8210 Top and Charging Cradle | 85T30AA |
| Poly Savi 8210/8220 Universal Power Supply -9V 500mA | 783M9AA |
| Poly Savi 8220 Battery with Removal Tool | 85R39AA |
| Poly Savi 8220 Stereo DECT 1880-1900 MHz Top +Charging Cradle | 8Y9C4AA |
| Poly Savi 8220 Top and Charging Cradle | 85T31AA |
| Poly Savi 8240/8245 Battery | 85R41AA |
| Poly Savi 8240/8245 Deluxe Charging Cradle | 85R44AA |
| Poly Savi 8240/8245 Fit | 85R45AA |
| Poly Savi 8240/8245 Foam Sleeves for Earloop (20 Pieces) | 85Q65AA |
| Poly Savi 8240/8245 Standard Charging Cradle | 85R47AA |
| Poly Savi 8240/8245 USB-A Charging Cable for Headset and Battery | 85R43AA |
| Poly Savi 8245 Deluxe Cradle with Battery | 85R49AA |
| Poly Savi 8245 Headset Cradle and Wearing Accessories | 85T32AA |
| Poly Savi 8400/7400 Office DECT 1880-1900 MHz Base | 8L569AA |
| Poly Savi 8400/7400 Office DECT 1920-1930 MHz Base | 8L571AA |
| Poly Savi 8400/7400 Office Microsoft Teams Certified DECT 1880-1900 MHz Base | 8L558AA |
| Poly Savi 8400/7400 Office Microsoft Teams Certified DECT 1920-1930 MHz Base | 8L562AA |
| Poly Savi 8410/8420 Office Charging Cradle | 8L573AA |
| Poly Savi 8440/8445 Office Charging Cradle | 8L577AA |
| Poly Savi D400 UC DECT 1880-1890 MHz Dongle | 8J8V9AA |
| Poly Savi D400 UC DECT 1880-1900 MHz Dongle | 8J8V7AA |
| Poly Savi D400 UC DECT 1893-1906 MHz Dongle | 8J8V6AA |
| Poly Savi D400 UC DECT 1910-1920 MHz Dongle | 8J8V8AA |
| Poly Savi D400 UC DECT 1920-1930 MHz Dongle | 85T33AA |
| Poly Savi D400 UC Microsoft Teams Certified DECT 1880-1900 MHz Dongle | 8J8W1AA |
| Poly Savi D400 UC Microsoft Teams Certified DECT 1893-1906 MHz Dongle | 8J8W0AA |
| Poly Savi D400 UC Microsoft Teams Certified DECT 1910-1920 MHz Dongle | 8J8W2AA |
| Poly Savi D400 UC Microsoft Teams Certified DECT 1920-1930 MHz Dongle | 85T34AA |
| Poly Savi Hard Case | 85R51AA |
| Poly Savi Office Power Supply with Right Angled Plug -9V 1000mA | 8L5A2AA |
| Poly Savi Office S2 Telephone Cable | 85R55AA |
| Poly Savi Office Straight Plug Online Indicator | 85R52AA |
| Poly Savi Office Telephone Interface Cable | 85R57AA |
| Poly Savi Office USB-A PC Connection Cable | 85R54AA |

| | |
|--|---------|
| Poly Savi Office Universal AC Power Supply with Straight Plug -9V 1000mA | 85R59AA |
| Poly Savi Office Universal AC Power Supply with Straight Plug -9V 500mA | 85R61AA |
| Poly Savi Universal Power Supply -9V 500mA | 85R63AA |
| Poly Savi W8210/8220 Charging Cradle | 85R65AA |
| Poly USB-A to USB-C Adapter | 85Q48AA |
| Poly USB-C to USB-A Adapter | 85Q49AA |

Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 16, 2024 7:11 AM UTC+0000